























**DRAWING GENERAL NOTES**


- JANITOR CLOSET DOORS, HOLLOW METAL FRAMES, AND HARDWARE ARE TO REMAIN AND TO BE REPAINTED AS SCHEDULED. ENTRY DOORS AT SEMINAR- AND BALLROOM-TYPE ROOMS ARE TO BE REPLACED IN KIND IN EXISTING FRAMES. SEE DOOR SCHEDULE ON A600.1 FOR ADDITIONAL INFORMATION.
- JANITOR CLOSETS ARE NOT IN CONTRACT, EXCEPT TO REPAIR INTERIOR AND EXTERIOR OF DOORS AND FRAMES AND TO PROVIDE NEW DOOR THRESHOLDS.
- CONTRACTOR IS TO VERIFY THE CONDITION OF EXISTING SUBSTRATES TO RECEIVE NEW FINISHES AND CONFIRM SUITABILITY. IF EXISTING FLOORS DO NOT MEET ALLOWABLE TOLERANCES PER ANSI STANDARDS FOR LARGE-FORMAT TILE, FLASH FLOORS TO LEVEL. SCRIBE WALL TILE AS NECESSARY TO ACCOMMODATE FLOOR LEVEL WITHIN ALLOWABLE TOLERANCE.
- INFILL AND/OR PATCH FLOORS AND WALLS WHERE TOILET PARTITIONS, ACCESSORIES, OR WALLS REMOVED, AND PROVIDE A SOUND AND LEVEL SURFACE TO RECEIVE NEW FINISH.
- IN SEMINAR/BALLROOM TYPE ROOMS, EXISTING CERAMIC WALL TILE IS TO REMAIN ON WALLS TO REMAIN AND NEW SCHEDULED TILE IS TO BE INSTALLED OVER EXISTING TILE. CONTRACTOR TO VERIFY THAT LEVELNESS OF SURFACE IS WITHIN REQUIRED TOLERANCES FOR SPECIFIED NEW TILE FINISH.
- NOT USED.
- GC TO VERIFY THICKNESS OF CERAMIC TILE ASSEMBLY TO BE REMOVED AND ACCOUNT FOR ANY DIFFERENCE IN THICKNESS OF NEW TILE ASSEMBLY.
- NEW PLUMBING FIXTURE LOCATIONS DIFFER FROM EXISTING FIXTURE LOCATIONS. FIXTURE CARRIERS AND ASSOCIATED PLUMBING ARE TO BE RELOCATED TO DIMENSIONS SHOWN ON DRAWINGS.
- SEE SHEET A500 FOR ENLARGED PLANS AND ELEVATIONS OF TYPICAL TOILET COMPARTMENTS AND TYPICAL ACCESSORY MOUNTING HEIGHTS.
- SEE SHEET A500.1 FOR PARTITION TYPES. NEW WALLS ARE TO BE CONSTRUCTED IN THE IN SAME LOCATION AS EXISTING DEMOLISHED WALLS, UNLESS NOTED OTHERWISE.
- SEE A600 SERIES SHEETS FOR REFLECTED CEILING PLANS, FINISH PLANS, AND FINISH SCHEDULES.
- SEE OVERALL BUILDING PLANS ON SHEETS A001, A002, & A003 FOR LOCATIONS OF ALL DRINKING FOUNTAINS IN PROJECT.

**ACCESSORY/EQUIPMENT LEGEND - EXHIBIT HALL-TYPE RESTROOMS**

2	PAPER TOWEL DISPENSER - AUTO, SEMI-RECESSED	14	TOILET PARTITIONS 1 - COMPACT LAMINATE (PHENOLIC), FLOOR-MOUNTED & OVERHEAD BRACED, 58" H, 12" A.F.F., URINAL SCREENS 20" D X 48" H, WALL-MOUNTED
3	PAPER TOWEL/TRASH COMBO UNIT - AUTO, SEMI-RECESSED	18	MIRROR - FULL LENGTH - 24" X 72"
4	TRASH - SEMI-RECESSED WALL MTD.	19	MIRROR - DOUBLE WIDTH - 42" X 54"
6	DIAPER CHANGING STATION - SURFACE-MTD. (UNLESS OTHERWISE NOTED)	20	MIRROR - SINGLE WIDTH - 24" X 54"
8	TOILET PAPER DISPENSER - DUAL JUMBO ROLL (TYP. IN EACH STALL)	23	MIRROR - SINGLE WIDTH, NARROW - 18" X 54"
9	SEAT COVER DISPENSER (TYP. IN EACH STALL)	24	MIRROR - DOUBLE WIDTH, WIDE - 48" X 54"
11	SANITARY DISPOSAL (TYP. IN EACH WOMEN'S STALL)	26	MIRROR - TRIPLE WIDTH, WIDE - 76" X 54"

NOTE: SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.

- WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- AMBULATORY ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- NO SYMBOL UNLESS OTHERWISE NOTED, TOILET COMPARTMENTS ARE STANDARD.
- ADA / ICC ANS A117.1 REQUIRED CLEARANCES
- EXISTING 2-HR FIRE RATED WALL (PER AS-BUILT DRAWINGS) TO REMAIN
- PARTITION TYPE - SEE SHEET A500.1




**2 FLOOR PLAN - MEN'S & WOMEN'S ROOM K**  
A105 SCALE: 1/4" = 1'-0"

**DEMOLITION GENERAL NOTES**


- SEE PHOTOS ON SOME SHEETS FOR IMAGES OF TYPICAL EXISTING TOILET ROOMS.
- COORDINATE DEMOLITION SCOPE ITEMS WITH NEW WORK AND MEP DRAWINGS.
- COORDINATE WITH OWNER FOR REMOVED ACCESSORIES: PLUMBING FIXTURES, LIGHTING FIXTURES, CEILING DEVICES, TOILET PARTITIONS, AND SIGNAGE TO BE SALVAGED.
- JANITOR CLOSET DOORS TO REMAIN. PROTECT DURING CONSTRUCTION.
- FOR STEEL BEAMS INDICATED TO BE REMOVED, GC TO VERIFY THAT BEAMS ARE NOT SUPPORTING ANY BUILDING ELEMENT PRIOR TO DEMOLITION. EXERCISE CARE WHEN REMOVING THE BEAMS SO AS NOT TO DAMAGE ANY ADJACENT CONSTRUCTION. BEAMS APPEAR TO HAVE PREVIOUSLY SUPPORTED CEILING-HUNG TOILET PARTITIONS, BUT ARE NO LONGER IN USE.

**DEMOLITION KEY NOTES**

D.1	REMOVE EXISTING 4" CMU CHASE WALL (AT ROOMS T.V. & W, EXISTING WALL IS 4" METAL FRAMING)
D.3	REMOVE PORTION OF EXISTING WALL
D.4	REMOVE EXISTING PLUMBING FIXTURE - SEE PLUMBING DWGS
D.5	REMOVE EXISTING COUNTERTOP & SUPPORT FRAMING
D.6	REMOVE EXISTING TOILET/URINAL PARTITIONS
D.7	REMOVE EXISTING WALL-MOUNTED ACCESSORIES
D.8	REMOVE EXISTING CERAMIC FLOOR TILE TO CONCRETE SLAB
D.9	REMOVE EXISTING CERAMIC WALL TILE & BASE ON ALL INTERIOR WALLS (EXHIBIT ROOMS ONLY, U.N.O.)
D.10	REMOVE EXISTING GWB CEILING, SUPPORT STRUCTURE & CEILING-MOUNTED DEVICES THROUGHOUT ROOM - SEE MEP DWGS.
D.11	REMOVE EXISTING LIGHT FIXTURES - SEE ELECTRICAL DWGS.
D.12	REMOVE EXISTING MOVABLE ROOM-DIVIDING PANEL & FIXED FRAME
D.13	REMOVE EXISTING DOOR THRESHOLD (ALUMINUM THRESHOLD AT EXHIBIT-TYPE ROOMS, MARBLE THRESHOLD AT SEMINAR-TYPE ROOMS)
D.17	REMOVE EXISTING WALL-MOUNTED SIGNAGE
D.18	REMOVE EXISTING STEEL BEAM (6" TO 10" DEEP) ABOVE CEILING



**1 DEMO PLAN - MEN'S & WOMEN'S ROOM K**  
A105 SCALE: 1/4" = 1'-0"



KEY PLAN - LEVEL 200 NTS

**PENNSYLVANIA CONVENTION CENTER**  
**RESTROOM RENOVATIONS**  
 1101 ARCH STREET, PHILADELPHIA, PA 19107

**DEMOLITION & NEW FLOOR PLANS - ROOM K (EXHIBIT)**

Project number CW1615  
Date November 25, 2019  
Drawn by LC/KR  
Checked by EW

**A105**  
Scale As indicated













*Winkler*  
 11/25/2019

**REVISIONS:**

No.	Description	Date

**PENNSYLVANIA CONVENTION CENTER**  
**RESTROOM RENOVATIONS**  
 1101 ARCH STREET, PHILADELPHIA, PA 19107

**DEMOLITION & NEW FLOOR PLANS - ROOM A (SEMINAR)**

Project number: CW1615  
 Date: November 25, 2019  
 Drawn by: LC/KR  
 Checked by: EW

**A111**  
 Scale: As indicated

**DRAWING GENERAL NOTES**

- JANITOR CLOSET DOORS, HOLLOW METAL FRAMES, AND HARDWARE ARE TO REMAIN AND TO BE REPAINTED AS SCHEDULED. ENTRY DOORS AT SEMINAR- AND BALLROOM-TYPE ROOMS ARE TO BE REPLACED IN KIND IN EXISTING FRAMES. SEE DOOR SCHEDULE ON A600.1 FOR ADDITIONAL INFORMATION. JANITOR CLOSETS ARE NOT IN CONTRACT, EXCEPT TO REPAIR INTERIOR AND EXTERIOR OF DOORS AND FRAMES AND TO PROVIDE NEW DOOR THRESHOLDS.
- CONTRACTOR IS TO VERIFY THE CONDITION OF EXISTING SUBSTRATES TO RECEIVE NEW FINISHES AND CONFIRM SUITABILITY. IF EXISTING FLOORS DO NOT MEET ALLOWABLE TOLERANCES PER ANSI STANDARDS FOR LARGE-FORMAT TILE, FLASH FLOORS TO LEVEL, SCRIBE WALL TILE AS NECESSARY TO ACCOMMODATE FLOOR LEVEL WITHIN ALLOWABLE TOLERANCE.
- INFILL AND/OR PATCH FLOORS AND WALLS WHERE TOILET PARTITIONS, ACCESSORIES, OR WALLS REMOVED, AND PROVIDE A SOUND AND LEVEL SURFACE TO RECEIVE NEW FINISH.
- IN SEMINAR/BALLROOM TYPE ROOMS, EXISTING CERAMIC WALL TILE IS TO REMAIN ON WALLS TO REMAIN AND NEW SCHEDULED TILE IS TO BE INSTALLED OVER EXISTING TILE. CONTRACTOR TO VERIFY THAT LEVELNESS OF SURFACE IS WITHIN REQUIRED TOLERANCES FOR SPECIFIED NEW TILE FINISH.
- NOT USED.
- GC TO VERIFY THICKNESS OF CERAMIC TILE ASSEMBLY TO BE REMOVED AND ACCOUNT FOR ANY DIFFERENCE IN THICKNESS OF NEW TILE ASSEMBLY.
- NEW PLUMBING FIXTURE LOCATIONS DIFFER FROM EXISTING FIXTURE LOCATIONS. FIXTURE CARRIERS AND ASSOCIATED PLUMBING ARE TO BE RELOCATED TO DIMENSIONS SHOWN ON DRAWINGS.
- SEE SHEET A500 FOR ENLARGED PLANS AND ELEVATIONS OF TYPICAL TOILET COMPARTMENTS AND TYPICAL ACCESSORY MOUNTING HEIGHTS.
- SEE SHEET A500.1 FOR PARTITION TYPES. NEW WALLS ARE TO BE CONSTRUCTED IN THE SAME LOCATION AS EXISTING DEMOLISHED WALLS, UNLESS NOTED OTHERWISE.
- SEE A600 SERIES SHEETS FOR REFLECTED CEILING PLANS, FINISH PLANS, AND FINISH SCHEDULES.
- SEE OVERALL BUILDING PLANS ON SHEETS A001, A002, & A003 FOR LOCATIONS OF ALL DRINKING FOUNTAINS IN PROJECT.

- WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- AMBULATORY ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- NO SYMBOL: UNLESS OTHERWISE NOTED, TOILET COMPARTMENTS ARE STANDARD.
- ADA / ICC ANSI A117.1 REQUIRED CLEARANCES
- EXISTING 2-HR FIRE RATED WALL (PER AS-BUILT DRAWINGS) TO REMAIN
- PARTITION TYPE - SEE SHEET A500.1

**ACCESSORY/EQUIPMENT LEGEND - SEMINAR-TYPE RESTROOMS**


- 1 HAND DRYER - SEMI-RECESSED
  - 2 PAPER TOWEL DISPENSER - AUTO, SEMI-RECESSED
  - 3 PAPER TOWEL/TRASH COMBO UNIT - AUTO, SEMI-RECESSED
  - 4 TRASH - SEMI-RECESSED WALL MTD.
  - 6 DIAPER CHANGING STATION - SURFACE-MTD. (UNLESS OTHERWISE NOTED)
  - 8 TOILET PAPER DISPENSER - DUAL JUMBO ROLL (TYP. IN EACH STALL)
  - 9 SEAT COVER DISPENSER (TYP. IN EACH STALL)
  - 11 SANITARY DISPOSAL (TYP. IN EACH WOMEN'S STALL)
  - 15 TOILET PARTITIONS 2 - COMPACT HIGH-PRESSURE LAMINATE (PHENOLIC), 81" HIGH INCL. 9" SUPPORT LEGS; URINAL SCREENS 20" D X 60" H, WALL-MTD. - SEE SPEC FOR COLOR SELECTION
  - 18 MIRROR - FULL LENGTH - 24" X 72"
  - 19 MIRROR - DOUBLE WIDTH - 42" X 54"
  - 20 MIRROR - SINGLE WIDTH - 24" X 54"
  - 23 MIRROR - SINGLE WIDTH, NARROW - 18" X 54"
  - 24 MIRROR - DOUBLE WIDTH, WIDE - 48" X 54"
  - 25 MIRROR - DOUBLE WIDTH, WIDE - 48" X 48"
- NOTE: SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.

**DEMOLITION GENERAL NOTES**


- SEE PHOTOS ON SOME SHEETS FOR IMAGES OF TYPICAL EXISTING TOILET ROOMS.
- COORDINATE DEMOLITION SCOPE ITEMS WITH NEW WORK AND MEP DRAWINGS.
- COORDINATE WITH OWNER FOR REMOVED ACCESSORIES, PLUMBING FIXTURES, LIGHTING FIXTURES, CEILING DEVICES, TOILET PARTITIONS, AND SIGNAGE TO BE SALVAGED.
- JANITOR CLOSET DOORS TO REMAIN. PROTECT DURING CONSTRUCTION.
- FOR STEEL BEAMS INDICATED TO BE REMOVED, GC TO VERIFY THAT BEAMS ARE NOT SUPPORTING ANY BUILDING ELEMENT PRIOR TO DEMOLITION. EXERCISE CARE WHEN REMOVING THE BEAMS SO AS NOT TO DAMAGE ANY ADJACENT CONSTRUCTION. BEAMS APPEAR TO HAVE PREVIOUSLY SUPPORTED CEILING-HUNG TOILET PARTITIONS, BUT ARE NO LONGER IN USE.

**DEMOLITION KEY NOTES**


D.1	REMOVE EXISTING 4" CMU CHASE WALL (AT ROOMS T.V. & W. EXISTING WALL IS 4" METAL FRAMING)
D.4	REMOVE EXISTING PLUMBING FIXTURE - SEE PLUMBING DWGS
D.5	REMOVE EXISTING COUNTERTOP & SUPPORT FRAMING
D.6	REMOVE EXISTING TOILET/URINAL PARTITIONS
D.7	REMOVE EXISTING WALL-MOUNTED ACCESSORIES
D.8	REMOVE EXISTING CERAMIC FLOOR TILE TO CONCRETE SLAB
D.10	REMOVE EXISTING GWB CEILING, SUPPORT STRUCTURE, & CEILING-MOUNTED DEVICES THROUGHOUT ROOM - SEE MEP DWGS.
D.11	REMOVE EXISTING LIGHT FIXTURES - SEE ELECTRICAL DWGS.
D.13	REMOVE EXISTING DOOR THRESHOLD (ALUMINUM THRESHOLD AT EXHIBIT-TYPE ROOMS; MARBLE THRESHOLD AT SEMINAR-TYPE ROOMS)
D.17	REMOVE EXISTING WALL-MOUNTED SIGNAGE
D.18	REMOVE EXISTING STEEL BEAM (6" TO 10" DEEP) ABOVE CEILING
D.19	REMOVE EXISTING ENTRY DOOR AND HARDWARE - EXISTING HM FRAME TO REMAIN AND RECEIVE NEW DOOR




KEY PLAN - LEVEL 100 NTS




**4 FLOOR PLAN - MEN'S ROOM A**  
 A111 SCALE: 1/4" = 1'-0"



**3 FLOOR PLAN - WOMEN'S ROOM A**  
 A111 SCALE: 1/4" = 1'-0"



**2 DEMO PLAN - MEN'S ROOM A**  
 A111 SCALE: 1/4" = 1'-0"



**1 DEMO PLAN - WOMEN'S ROOM A**  
 A111 SCALE: 1/4" = 1'-0"





TYPICAL SMALL SEMINAR RESTROOM - B MEN'S - EXISTING



TYPICAL SMALL SEMINAR RESTROOM - B WOMEN'S - EXISTING

DRAWING GENERAL NOTES


- JANITOR CLOSET DOORS, HOLLOW METAL FRAMES, AND HARDWARE ARE TO REMAIN AND TO BE REPAINTED AS SCHEDULED. ENTRY DOORS AT SEMINAR- AND BALLROOM-TYPE ROOMS ARE TO BE REPLACED IN KIND IN EXISTING INFORMATION. SEE DOOR SCHEDULE ON A600.1 FOR ADDITIONAL INFORMATION.
- JANITOR CLOSETS ARE NOT IN CONTRACT, EXCEPT TO REPAIR INTERIOR AND EXTERIOR OF DOORS AND FRAMES AND TO PROVIDE NEW DOOR THRESHOLDS.
- CONTRACTOR IS TO VERIFY THE CONDITION OF EXISTING SUBSTRATES TO RECEIVE NEW FINISHES AND CONFIRM SUITABILITY. IF EXISTING FLOORS DO NOT MEET ALLOWABLE TOLERANCES PER ANSI STANDARDS FOR LARGE-FORMAT TILE, FLASH FLOORS TO LEVEL. SCRIBE WALL TILE AS NECESSARY TO ACCOMMODATE FLOOR LEVEL WITHIN ALLOWABLE TOLERANCE.
- INFILL AND/OR PATCH FLOORS AND WALLS WHERE TOILET PARTITIONS, ACCESSORIES, OR WALLS REMOVED, AND PROVIDE A SOUND AND LEVEL SURFACE TO RECEIVE NEW FINISH.
- IN SEMINAR/BALLROOM TYPE ROOMS, EXISTING CERAMIC WALL TILE IS TO REMAIN ON WALLS TO REMAIN AND NEW SCHEDULED TILE IS TO BE INSTALLED OVER EXISTING TILE. CONTRACTOR TO VERIFY THAT LEVELNESS OF SURFACE IS WITHIN REQUIRED TOLERANCES FOR SPECIFIED NEW TILE FINISH.
- NOT USED.
- GC TO VERIFY THICKNESS OF CERAMIC TILE ASSEMBLY TO BE REMOVED AND ACCOUNT FOR ANY DIFFERENCE IN THICKNESS OF NEW TILE ASSEMBLY.
- NEW PLUMBING FIXTURE LOCATIONS DIFFER FROM EXISTING FIXTURE LOCATIONS. FIXTURE CARRIERS AND ASSOCIATED PLUMBING ARE TO BE RELOCATED TO DIMENSIONS SHOWN ON DRAWINGS.
- SEE SHEET A600 FOR ENLARGED PLANS AND ELEVATIONS OF TYPICAL TOILET COMPARTMENTS AND TYPICAL ACCESSORY MOUNTING HEIGHTS.
- SEE SHEET A500.1 FOR PARTITION TYPES. NEW WALLS ARE TO BE CONSTRUCTED IN THE SAME LOCATION AS EXISTING DEMOLISHED WALLS, UNLESS NOTED OTHERWISE.
- SEE A600 SERIES SHEETS FOR REFLECTED CEILING PLANS, FINISH PLANS, AND FINISH SCHEDULES.
- SEE OVERALL BUILDING PLANS ON SHEETS A001, A002, & A003 FOR LOCATIONS OF ALL DRINKING FOUNTAINS IN PROJECT.

ACCESSORY/EQUIPMENT LEGEND - SEMINAR-TYPE RESTROOMS


- |   |   |
|---|---|
| 1 HAND DRYER - SEMI-RECESSED                                      | 15 TOILET PARTITIONS 2 - COMPACT HIGH-PRESSURE LAMINATE (PHENOLIC), 81" HIGH INCL. 9" SUPPORT LEGS; URINAL SCREENS 20" D X 60" H, WALL-MTD. |
| 2 PAPER TOWEL DISPENSER - AUTO, SEMI-RECESSED                     | 18 MIRROR - FULL LENGTH - 24" X 72"   |
| 3 PAPER TOWEL/TRASH COMBO UNIT - AUTO, SEMI-RECESSED              | 19 MIRROR - DOUBLE WIDTH - 42" X 54"  |
| 4 TRASH - SEMI-RECESSED WALL MTD.                                 | 20 MIRROR - SINGLE WIDTH - 24" X 54"  |
| 6 DIAPER CHANGING STATION - SURFACE-MTD. (UNLESS OTHERWISE NOTED) | 23 MIRROR - SINGLE WIDTH, NARROW - 18" X 54"  |
| 8 TOILET PAPER DISPENSER - DUAL JUMBO ROLL (TYP. IN EACH STALL)   | 24 MIRROR - DOUBLE WIDTH, WIDE - 48" X 54"  |
| 9 SEAT COVER DISPENSER (TYP. IN EACH STALL)                       | 25 MIRROR - DOUBLE WIDTH, WIDE - 48" X 48"  |
| 11 SANITARY DISPOSAL (TYP. IN EACH WOMEN'S STALL)                 |   |

NOTE: SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.

- WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- AMBULATORY ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- NO SYMBOL UNLESS OTHERWISE NOTED, TOILET COMPARTMENTS ARE STANDARD.
- ADA / ICC ANSI A117.1 REQUIRED CLEARANCES
- EXISTING 2-HR FIRE RATED WALL (PER AS-BUILT DRAWINGS) TO REMAIN
- PARTITION TYPE - SEE SHEET A500.1



4 FLOOR PLAN - MEN'S & WOMEN'S ROOM C  
A112 SCALE: 1/4" = 1'-0"




3 FLOOR PLAN - MEN'S & WOMEN'S ROOM B  
A112 SCALE: 1/4" = 1'-0"

DEMOLITION GENERAL NOTES


- SEE PHOTOS ON SOME SHEETS FOR IMAGES OF TYPICAL EXISTING TOILET ROOMS.
- COORDINATE DEMOLITION SCOPE ITEMS WITH NEW WORK AND MEP DRAWINGS.
- COORDINATE WITH OWNER FOR REMOVED ACCESSORIES, PLUMBING FIXTURES, LIGHTING FIXTURES, CEILING DEVICES, TOILET PARTITIONS, AND SIGNAGE TO BE SALVAGED.
- JANITOR CLOSET DOORS TO REMAIN. PROTECT DURING CONSTRUCTION.
- FOR STEEL BEAMS INDICATED TO BE REMOVED, GC TO VERIFY THAT BEAMS ARE NOT SUPPORTING ANY BUILDING ELEMENT PRIOR TO DEMOLITION. EXERCISE CARE WHEN REMOVING THE BEAMS SO AS NOT TO DAMAGE ANY ADJACENT CONSTRUCTION. BEAMS APPEAR TO HAVE PREVIOUSLY SUPPORTED CEILING-HUNG TOILET PARTITIONS, BUT ARE NO LONGER IN USE.

DEMOLITION KEY NOTES


No.	Description
D.1	REMOVE EXISTING 4" CMU CHASE WALL (AT ROOMS T.V. & W. EXISTING WALL IS 4" METAL FRAMING)
D.4	REMOVE EXISTING PLUMBING FIXTURE - SEE PLUMBING DWGS
D.5	REMOVE EXISTING COUNTERTOP & SUPPORT FRAMING
D.6	REMOVE EXISTING TOILET/URINAL PARTITIONS
D.7	REMOVE EXISTING WALL-MOUNTED ACCESSORIES
D.8	REMOVE EXISTING CERAMIC FLOOR TILE TO CONCRETE SLAB
D.10	REMOVE EXISTING GWB CEILING, SUPPORT STRUCTURE, & CEILING-MOUNTED DEVICES THROUGHOUT ROOM - SEE MEP DWGS.
D.11	REMOVE EXISTING LIGHT FIXTURES - SEE ELECTRICAL DWGS.
D.13	REMOVE EXISTING DOOR THRESHOLD (ALUMINUM THRESHOLD AT EXHIBIT-TYPE ROOMS; MARBLE THRESHOLD AT SEMINAR-TYPE ROOMS)
D.15	REMOVE EXISTING 8" CMU CHASE WALL
D.17	REMOVE EXISTING WALL-MOUNTED SIGNAGE
D.18	REMOVE EXISTING STEEL BEAM (6" TO 10" DEEP) ABOVE CEILING
D.19	REMOVE EXISTING ENTRY DOOR AND HARDWARE - EXISTING HM FRAME TO REMAIN AND RECEIVE NEW DOOR




2 DEMO PLAN - MEN'S & WOMEN'S ROOM C  
A112 SCALE: 1/4" = 1'-0"



1 DEMO PLAN - MEN'S & WOMEN'S ROOM B  
A112 SCALE: 1/4" = 1'-0"



KEY PLAN - LEVEL 100



REVISIONS:

No.	Description	Date

PENNSYLVANIA CONVENTION CENTER  
RESTROOM RENOVATIONS  
1101 ARCH STREET, PHILADELPHIA, PA 19107

DEMOLITION & NEW FLOOR PLANS - ROOMS B, C (SEMINAR)

Project number CW1615  
Date November 25, 2019  
Drawn by LC/KR  
Checked by EW

A112  
Scale As indicated

**DRAWING GENERAL NOTES**

- JANITOR CLOSET DOORS, HOLLOW METAL FRAMES, AND HARDWARE ARE TO REMAIN AND TO BE REPAINTED AS SCHEDULED. ENTRY DOORS AT SEMINAR- AND BALLROOM-TYPE ROOMS ARE TO BE REPLACED IN KIND IN EXISTING FRAMES. SEE DOOR SCHEDULE ON A600.1 FOR ADDITIONAL INFORMATION.
- JANITOR CLOSETS ARE NOT IN CONTRACT, EXCEPT TO REPAIR INTERIOR AND EXTERIOR OF DOORS AND FRAMES AND TO PROVIDE NEW DOOR THRESHOLDS.
- CONTRACTOR IS TO VERIFY THE CONDITION OF EXISTING SUBSTRATES TO RECEIVE NEW FINISHES AND CONFIRM SUITABILITY. IF EXISTING FLOORS DO NOT MEET ALLOWABLE TOLERANCES PER ANSI STANDARDS FOR LARGE-FORMAT TILE, FLASH FLOORS TO LEVEL, SCRIBE WALL TILE AS NECESSARY TO ACCOMMODATE FLOOR LEVEL WITHIN ALLOWABLE TOLERANCE.
- INFILL AND/OR PATCH FLOORS AND WALLS WHERE TOILET PARTITIONS, ACCESSORIES, OR WALLS REMOVED, AND PROVIDE A SOUND AND LEVEL SURFACE TO RECEIVE NEW FINISH.
- IN SEMINAR/BALLROOM TYPE ROOMS, EXISTING CERAMIC WALL TILE IS TO REMAIN ON WALLS TO REMAIN AND NEW SCHEDULED TILE IS TO BE INSTALLED OVER EXISTING TILE. CONTRACTOR TO VERIFY THAT LEVELNESS OF SURFACE IS WITHIN REQUIRED TOLERANCES FOR SPECIFIED NEW TILE FINISH.
- NOT USED.
- GO TO VERIFY THICKNESS OF CERAMIC TILE ASSEMBLY TO BE REMOVED AND ACCOUNT FOR ANY DIFFERENCE IN THICKNESS OF NEW TILE ASSEMBLY.
- NEW PLUMBING FIXTURE LOCATIONS DIFFER FROM EXISTING FIXTURE LOCATIONS. FIXTURE CARRIERS AND ASSOCIATED PLUMBING ARE TO BE RELOCATED TO DIMENSIONS SHOWN ON DRAWINGS.
- SEE SHEET A500 FOR ENLARGED PLANS AND ELEVATIONS OF TYPICAL TOILET COMPARTMENTS AND TYPICAL ACCESSORY MOUNTING HEIGHTS.
- SEE SHEET A500.1 FOR PARTITION TYPES. NEW WALLS ARE TO BE CONSTRUCTED IN THE SAME LOCATION AS EXISTING DEMOLISHED WALLS, UNLESS NOTED OTHERWISE.
- SEE A600 SERIES SHEETS FOR REFLECTED CEILING PLANS, FINISH PLANS, AND FINISH SCHEDULES.
- SEE OVERALL BUILDING PLANS ON SHEETS A001, A002, & A003 FOR LOCATIONS OF ALL DRINKING FOUNTAINS IN PROJECT.

- WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- AMBULATORY ACCESSIBLE TOILET COMPARTMENT - SEE A500 FOR TYPICAL ENLARGED PLANS AND ELEVATIONS.
- NO SYMBOL UNLESS OTHERWISE NOTED, TOILET COMPARTMENTS ARE STANDARD.
- ADA / ICC ANSI A117.1 REQUIRED CLEARANCES
- EXISTING 2-HR FIRE RATED WALL (PER AS-BUILT DRAWINGS) TO REMAIN
- PARTITION TYPE - SEE SHEET A500.1

**ACCESSORY/EQUIPMENT LEGEND - SEMINAR-TYPE RESTROOMS**

- 1 HAND DRYER - SEMI-RECESSED
- 2 PAPER TOWEL DISPENSER - AUTO, SEMI-RECESSED
- 3 PAPER TOWEL/TRASH COMBO UNIT - AUTO, SEMI-RECESSED
- 4 TRASH - SEMI-RECESSED WALL MTD.
- 5 DIAPER CHANGING STATION - SURFACE-MTD. (UNLESS OTHERWISE NOTED)
- 6 TOILET PAPER DISPENSER - DUAL JUMBO ROLL (TYP. IN EACH STALL)
- 7 SEAT COVER DISPENSER (TYP. IN EACH STALL)
- 8 SANITARY DISPOSAL (TYP. IN EACH WOMEN'S STALL)
- 9 TOILET PARTITIONS 2 - COMPACT HIGH-PRESSURE LAMINATE (PHENOLIC), 81" HIGH INCL 9" SUPPORT LEGS; URINAL SCREENS 20" D X 60" H, WALL-MTD. - SEE SPEC FOR COLOR SELECTION
- 10 MIRROR - FULL LENGTH - 24" X 72"
- 11 MIRROR - DOUBLE WIDTH - 42" X 54"
- 12 MIRROR - SINGLE WIDTH - 24" X 54"
- 13 MIRROR - SINGLE WIDTH, NARROW - 18" X 54"
- 14 MIRROR - DOUBLE WIDTH, WIDE - 48" X 54"
- 15 MIRROR - DOUBLE WIDTH, WIDE - 48" X 48"


NOTE: SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.

**DEMOLITION GENERAL NOTES**


- SEE PHOTOS ON SOME SHEETS FOR IMAGES OF TYPICAL EXISTING TOILET ROOMS.
- COORDINATE DEMOLITION SCOPE ITEMS WITH NEW WORK AND MEP DRAWINGS.
- COORDINATE WITH OWNER FOR REMOVED ACCESSORIES, PLUMBING FIXTURES, LIGHTING FIXTURES, CEILING DEVICES, TOILET PARTITIONS, AND SIGNAGE TO BE SALVAGED.
- JANITOR CLOSET DOORS TO REMAIN. PROTECT DURING CONSTRUCTION.
- FOR STEEL BEAMS INDICATED TO BE REMOVED, GO TO VERIFY THAT BEAMS ARE NOT SUPPORTING ANY BUILDING ELEMENT PRIOR TO DEMOLITION. EXERCISE CARE WHEN REMOVING THE BEAMS SO AS NOT TO DAMAGE ANY ADJACENT CONSTRUCTION. BEAMS APPEAR TO HAVE PREVIOUSLY SUPPORTED CEILING-HUNG TOILET PARTITIONS, BUT ARE NO LONGER IN USE.

**DEMOLITION KEY NOTES**

D.1	REMOVE EXISTING 4" CMU CHASE WALL (AT ROOMS T.V. & W, EXISTING WALL IS 4" METAL FRAMING)
D.4	REMOVE EXISTING PLUMBING FIXTURE - SEE PLUMBING DWGS
D.5	REMOVE EXISTING COUNTERTOP & SUPPORT FRAMING
D.6	REMOVE EXISTING TOILET/URINAL PARTITIONS
D.7	REMOVE EXISTING WALL-MOUNTED ACCESSORIES
D.8	REMOVE EXISTING CERAMIC FLOOR TILE TO CONCRETE SLAB
D.10	REMOVE EXISTING GWB CEILING, SUPPORT STRUCTURE, & CEILING-MOUNTED DEVICES THROUGHOUT ROOM - SEE MEP DWGS.
D.11	REMOVE EXISTING LIGHT FIXTURES - SEE ELECTRICAL DWGS.
D.13	REMOVE EXISTING DOOR THRESHOLD (ALUMINUM THRESHOLD AT EXHIBIT-TYPE ROOMS; MARBLE THRESHOLD AT SEMINAR-TYPE ROOMS)
D.17	REMOVE EXISTING WALL-MOUNTED SIGNAGE
D.18	REMOVE EXISTING STEEL BEAM (6" TO 10" DEEP) ABOVE CEILING
D.19	REMOVE EXISTING ENTRY DOOR AND HARDWARE - EXISTING HM FRAME TO REMAIN AND RECEIVE NEW DOOR




KEY PLAN - LEVEL 100 NTS




**4 FLOOR PLAN - MEN'S ROOM D**

A113 SCALE: 1/4" = 1'-0"




**2 DEMO PLAN - MEN'S ROOM D**

A113 SCALE: 1/4" = 1'-0"



**3 FLOOR PLAN - WOMEN'S ROOM D**

A113 SCALE: 1/4" = 1'-0"



**1 DEMO PLAN - WOMEN'S ROOM D**

A113 SCALE: 1/4" = 1'-0"



**REVISIONS:**

No.	Description	Date

**DEMOLITION & NEW FLOOR PLANS - ROOM D (SEMINAR)**

Project number CW1615  
Date November 25, 2019  
Drawn by LC/KR  
Checked by EW

**A113**  
Scale As indicated



































SEE SHEET A600 FOR FINISH LEGEND



**REVISIONS:**


No.	Description	Date
1	ASI #2	03.05.20

**PENNSYLVANIA CONVENTION CENTER**  
**RESTROOM RENOVATIONS**  
 1101 ARCH STREET, PHILADELPHIA, PA 19107


**TYPICAL WALL PATTERN DETAILS-EXHIBIT**

Project number: CW1615  
 Date: November 25, 2019  
 Drawn by: KR/LC  
 Checked by: EW


**A500.3**  
 Scale: As indicated




**6 WALL TILE PATTERN - WP-6 - ROOM O**  
 SCALE: 1/2" = 1'-0"



**5 WALL TILE PATTERN - WP-5 - ROOMS N, Q, R, S**  
 SCALE: 1/2" = 1'-0"




**4 WALL TILE PATTERN - WP-4 - ROOMS G, H**  
 SCALE: 1/2" = 1'-0"




**3 WALL TILE PATTERN - WP-3 - ROOMS F, J, K, P**  
 SCALE: 1/2" = 1'-0"

ACCENT COLOR VARIATIONS BY ROOM	
ROOM	ACCENT COLOR
F (MEN/WOMEN)	CT-5
G (MEN/WOMEN)	CT-5
H (MEN/WOMEN)	CT-5
J (MEN/WOMEN)	CT-6
K (MEN/WOMEN)	CT-7
N (WOMEN)	CT-5
O (MEN)	CT-5
P (MEN/WOMEN)	CT-5
Q (MEN/WOMEN)	CT-5
R (MEN/WOMEN)	CT-7
S (MEN/WOMEN)	CT-6

NOTE: SEE SHEET A600 FOR FINISH LEGEND AND SCHEDULES. SEE FINISH PLANS (A600 SERIES) FOR ACCENT WALL LOCATIONS.



**2 WALL TILE PATTERN - WP-2**  
 SCALE: 1/2" = 1'-0"



**1 WALL TILE PATTERN - WP-1**  
 SCALE: 1/2" = 1'-0"



































