

AP#	serial/MAC	MDF/IDF	Patch Panel port#	Room#	Switch Port #	Drawing	STATUS
1	XR4044505D8DA	G4 / G1	B41 / A27	Hall G (G3)	P5 / P3	TC-210	
2	XR4044505D810	G4 / G7	B42 / B39	Hall G (G4)	P6 / 18	TC-210	
3	XR4044505D814	G4 / G7	B40 / B40	Hall G (G7)	7 / P19	TC-210	
4	XR4044505D7F4	G7 / G5	B38 / B4	Hall G (G6)	P17 / 7	TC-210	
5	XR4044505D8BE	IDF XA	E46	Br. St. Atrium	S3 P16	TC-210	
6	XR4044705E346	IDF XB	H30	Br. St. Atrium	S2 P21	TC-211	
7	XR4044705E33A	IDF XB	H31	Br. St. Atrium	S2 P14	TC-211	
8	XR4044805E95E	IDF XB	H36	126A	S2 P19	TC-211	
9	XR4044705E334	IDF XE	D19	Br. St. Atrium	S1 P33	TC-211	
10	XR4044805E8F4	G7 / G5	B41 / A27	Br. St. Atrium	P20	TC-210	
11	XR4044805E93E	IDF XA	A38	123	S3 P14	TC-210	
12	XR4044805E852	IDF XB	H32	124	S2 P15	TC-211	
13	XR4044705E296	IDF XB	H33	125	S2 P16	TC-211	
14	XR4044705DC92	IDF XB	H37	126B	S2 P20	TC-211	
15	XR4044885E944	IDF XA	A39	Hallway	S3P15	TC-210	
16	XR4044705DBE0	IDF XA	A37	Hallway	S3 P13	TC-210	
17	XR4044705DC08	IDF XB	H34	Hallway	S2 P17	TC-211	
18	XR4044705DC9A	IDF XB	H35	Arch Atrium	S2 P18	TC-211	
19	XR4044705D9AC	X MDF	G47	122B	S3 P25	TC-210	
20	XR4044705E232	X MDF	G48	122A	S3 P26	TC-210	
21	XR4044705DC8C	X MDF	H2	121C	S3 P28	TC-211	
22	XR4044805E92A	X MDF	H1	121B	S3 P27	TC-211	
23	XR4044805E8B0	IDF XE	D12	121A	S2 P11	TC-211	
24	XR4044805E8B8	IDF XE	D13	120C	S2 P12	TC-211	
25	XR4044805E8D0	IDF XE	D14	120B	S2 P13	TC-211	
26	XR4044705E282	IDF XE	D15	120A	S2 P14	TC-211	
27	XR4044705D9E0	X MDF	G46	Hallway	S3 P24	TC-210	
28	XR4044805E864	X MDF	H3	Hallway	S3 P29	TC-211	
29	XR4044705D9FA	IDF XE	D16	Hallway	S1 P32	TC-211	
30	XR404470509CC	X MDF	H4	179A	S3 P30	TC-210	
31	XR4044705D9C0	IDF XE	D18	119A	S2 P17	TC-211	
32	XR4044705E238	IDF XE	D17	119B	S2 P16	TC-211	
33	XR4044705D9D4	IDF XD	C30	Arch Atrium	S2 P24	TC-211	
34	XR4044705E2A4	IDF XF	A07	Security	P7	TC-212 Additional AP's	
35	XR4044705E21A	X MDF	G41	115A	S3 P19	TC-212 Additional AP's	
36	XR4044705D9CA	X MDF	G42	115B	S3 P20	TC-212 Additional AP's	
37	XR4044805E8CA	X MDF	G44	115C	S3 P22	TC-212 Additional AP's	
38	XR4044805E928	X MDF	G45	116	S3 P23	TC-213	
39	XR4044705DCDE	IDF XE	D7	117	S2 P6	TC-213	
40	XR4044705E22E	IDF XE	D8	118A	S2 P7	TC-213	
41	XR4044705E2A0	IDF XE	D10	118B	S2 P9	TC-213	
42	XR4044705E220	IDF XE	D11	118C	S2 P10	TC-213	
43	XR4044705D9C6	X MDF	G43	107A	S3 P21	TC-212 Additional AP's	
44	XR4044705E29A	IDF XE	D9	107	S2 P8	TC-213	
45	XR4044705E26E	IDF XD	C29	Hallway	S2 P23	TC213	
46	XR40435D5A1D6	D CLOSET	A32	Lecture Hall	S1 P40	TC-212 Additional AP's	
47	XR4044705E344	E2 CLOSET	A7	108A	S1 P25	TC-213	
48	XR4044805E7F8	A CLOSET	A6	Loading Dock	S1 P5	TC-212 Additional AP's	
49	XR2144805EA28	B CLOSET	A4	EX058	S1 P13	TC-212 Additional AP's	
50	XR4044705E26C	B CLOSET	A5	Sec. Command	S1 P14	TC-212 Additional AP's	
51	XR4044705E09E	B CLOSET	A6	Police Station	S1 P15	TC-212 Additional AP's	
52	XR4044705E0E0	IDF XG	D1	EX051	S2 P7	TC-212 Additional AP's	
53	XR4045005ECE6	IDF XG	D2	Lobby EX012	S2 P8	TC-212 Additional AP's	
54	XR4045005EF14	B CLOSET	A7	Locker Room	S1 P16	TC-212 Additional AP's	
55	XR404705E22A	B CLOSET	A8	Locker Room	S1 P17	TC-212 Additional AP's	
56	XR4044705DFD6	D CLOSET	A30	Lecture Hall	S1 P38	TC-212 Additional AP's	
57	XR4044705E26A	D CLOSET	A31	113C	S1 P39	TC-212 Additional AP's	
58	XR4044705DCDA	D CLOSET	A29	113B	S1 P37	TC-212 Additional AP's	
59	XR4044705DFC8	D CLOSET	A36	113A	46	TC-213	
60	XR4044705E22C	D CLOSET	A33	13 Concourse	S1 P42	TC-212 Additional AP's	
61	XR4044805E84A	E2 CLOSET	A11	13 Concourse	S1 P30	TC-213	
62	XR4044805E84E	E2 CLOSET	A13	112A	S1 P32	TC-213	
63	XR4044805E946	E2 CLOSET	A12	111B	S1 P31	TC-213	
64	XR4044705DC90	E2 CLOSET	A10	110B	S1 P29	TC-213	
65	XR4044805E854	E2 CLOSET	A9	109B	S1 P28	TC-213	
66	XR4045005ECE8	B CLOSET	A9	EX038	S1 P18	TC-212 Additional AP's	
67	XR40445005EE84	B CLOSET	A10	Hallway	S1 P19	TC-212 Additional AP's	
68	XR4044705E216	C CLOSET	B41 / A27	EX073	S2 P42	TC-212 Additional AP's	
69	XR4044705E21C	D CLOSET	A34	EX073	S1 43	TC-212 Additional AP's	
70	XR4044705E29E	E1 CLOSET	A12	EX100	S1 P25	TC-213	
71	XR4044705E28C	D CLOSET	A35	EX100	45	TC-213	
72	XR4044705DBDE	E1 CLOSET	A13	108B	26	TC-213	
73	XR4044705DBE2	E2 CLOSET	A8	Arch Atrium	27	TC-213	
74	XR4044705DCA4	C CLOSET	B42	102A	S2 P43	TC-212 Additional AP's	
75	XR4045005EA2	C CLOSET	B38	103C	S2 P35	TC-212 Additional AP's	
76	XR4045005EF12	C CLOSET	B39	103B	S2 P27	TC-212 Additional AP's	

AP#	serial/MAC	MDF/IDF	Patch Panel port#	Room#	Switch Port #	Drawing	STATUS
77	XR4044705E234	C CLOSET	B40 / B40	103A	S2 P41	TC-212 Additional AP's	
78	XR4044705E2AA	C CLOSET	39	104B	S2 P40	TC-213	
79	XR4044705DCD2	E1 CLOSET	14	105B	27	TC-213	
80	XR4044705DCD0	E1 CLOSET	15	106B	28	TC-213	
81	XR4044705DC56	E1 CLOSET	16	107B	29	TC-213	
82	XR4044705DBF0	E1 CLOSET	17	12 Concourse	30	TC-213	
83	XR4044705DC86	E1 CLOSET	18	Arch Atrium	31	TC-213	
84	XR4044705DC3A	E1 CLOSET	19	Vestibule	32	TC-213	
85	XR4044705E328	E5	C3	Br. St. Atrium	P16	TC-220	
86	XR214170F3F54	E5	C4	Br. St. Atrium	P17 / 7	TC-220	
87	XR214170F3F96	E8	B44	Br. St. Atrium	P13	TC-221	
88	XR4044705D9B8	E4	C22	Br. St. Atrium	16	TC-221	
89	XR2144405D1F6	E5	C2	Br. St. Atrium	15	TC-220	
90	XR4044805E812	B11	D34	Hall E	P39	TC-220	
91	XR4044805DB4C	E5	C1	Hall E	P14	TC-220	
92	XR4044805E7F4	E8	B45	Hall E	P14	TC-221	
93	XR4044805E29A	E4	C19	Hall E	14	TC-221	
94	XR4044805E802	E1 Column	C22	Hall E	13	TC-220	
95	XR4044705E252	E2 Column	C21	Hall E	13	TC-220	
96	XR4044805E7FE	B13	A44	Hall E	P12	TC-220	
97	XR4044805E958	DE1-E Column	B5	Hall E	P 7	TC-220	
98	XR4044805DB72	DE2-E	A33	Hall E	P5	TC-220	
99	XR4044805E7FA	DE3-E	A42	Hall E	P5	TC-221	
100	XR4044805E884	DE4-E	21	Hall E	13	TC-221	
101	XR2144805EA32	E4	C21	Arch Atrium	15	TC-221	
102	XR2144805EA2C	IDF XH	B6	D B. O. H.	13	TC-220	
103	XR4044805E952	D5/D6	D11 / B37	Hall D	7	TC-220	
104	XR4044805EC9C	D6/D5	D12 / D36	Hall D	S1 P12	TC-220	
105	XR4044805E868	D7 / P21	C20 / C12	Hall D	S1 P13	TC-221	
106	XR4044805E025	D8 / D4	B36 / B37	Hall D	19	TC-221	
107	XR2144405CFD8	IDF XI	C5	Arch Atrium	10	TC-221	
108	XR4044705E25C	D1 / D2	B39 / D4	Hall D	9	TC-222	
109	XR4044705E286	D2 / D1	D3 / B40	Hall D	S1 P12	TC-222	
110	XR4044705E32E	D3 / D7	C11 / C21	Hall D	13	TC-223	
111	XR4044705E248	D4 / D8	B36 / B37	Hall D	33	TC-223	
112	XR2144805EB16	IDF XI	C7	Arch Atrium	11	TC-223	
113	XR214443705B036	IDF XI	C6	Arch Atrium	9	TC-223	
114	XR2144805EB38	IDF N	A5	C Dock	35	TC-222	
115	XR4044805D99E	C5/C6	B1 / B3	Hall C	8	TC-222	
116	XR4044705E240	C2/C3	B1 / B1	Hall C	7	TC-222	
117	XR4044705E284	C3/T18	B2 / B38	Hall C	5	TC-223	
118	XR2144805EB06	IDF R	15	Arch Atrium	S2 P48	TC-223	
119	XR4044805ECA8	C6/BC2	B1 / B5	Hall C	13	TC-222	
120	XR4044805E88A	C6 / C7	B2 / B4	Hall C	11	TC-223	
121	XR2144805DESC	IDF R	14	Arch Atrium	S2 P46	TC-223	
122	XR2144405CDC0	IDF M	B4	C B. O. H. Dock	43	TC-222	
123	XR4044805D96E	BC1/BC2	B1 / B3	Hall C	48	TC-222	
124	XR4044805D962	BC2/BC1	B1 / B2	Hall C	11	TC-222	
125	XR4044805E89C	BC3/BC2	B1 / B2	Hall C	13	TC-223	
126	XR40443505A2C4	IDF R	B12	Hall C	18	TC-223	
127	XR2143705B03A	IDF R	13	Arch Atrium	16	TC-223	
128	XR4044805D9A6	B4/B3	B2 / B9	Hall B	10	TC-223 / 225	
129	XR2143705B0F6	IDF S	5	Arch Atrium	11	TC-223 / 225	
130	XR4044805D924	B1/B2	B1 / B2	Hall B	13	TC-225	
131	XR4044705E310	B2/B1	B2 / B1	Hall B	13	TC-224	
132	XR4044805E200	B3/B4	B10 / B21	Hall B	9	TC-225	
133	XR2144805DEEA	IDF L	A6	B B. O. H.	4	TC-224	
134	XR404405D90A	A2 / AB2		Hall B	9	TC-224	
135	XR4044805D918	AB3 / A3	B2 / B13	Hall B	P 15	TC-225	
136	XR4044805DB50	AB4 / A4	B2 / B1	Hall B	P 13	TC-225	
137	XR2144805EBFE	IDF O	3	Arch Atrium	3	TC-225	
138	XR4044805D928	A1 / A2	B1 / B3	Hall A	13	TC-224	
139	XR4043505A2CA	A4 / AB4	B1 / B2	Hall A	13	TC-225	
140	XR2144805EBFA	IDF EE	19	Arch Atrium	34	TC-225	
141	XR2144405CE32	IDF L	A7	A B. O. H.	5	TC-224	
142	XR4044805D95E	AB2 / A2	B1 / B2	Hall A	7	TC-224	
143	XR4044805ECA0	A3 / AB3	B14 / B10	Hall A	15	TC-225	
144	XR2144805EBC2	IDF Q	A17	A Dock	S2 P19	TC-224	
145	XR4044805EC92	A5	A5 / A6	Hall A	11	TC-224	
146	XR4044805E872	A6	B2 / B1	Hall A	13	TC-224	
147	XR4044805E878	A7	B2 / B1	Hall A	13	TC-225	
148	XR4043505A2EE	A8	B2 / B1	Hall A	37	TC-225	
149	XR2144805EB92	U CLOSET	A11	Arch Atrium	S1 P21	TC-225	
150	XR2144805EABA	IDF Q	A18	A Dock	24	TC-224	
151	XR2144805EABC	IDF Q	A1	A Dock	S2 P20	TC-224	
152	XR4044805EC8C	A10 / A6	B2 / B1	Hall A	9	TC-224	

AP#	serial/MAC	MDF/IDF	Patch Panel port#	Room#	Switch Port #	Drawing	STATUS
153	XR4044805E8AE	A12 A8	B1 / B3	Hall A	3	TC-225	
154	XR2144805EC2A	U CLOSET	A12	Arch Atrium	S1 P22	TC-225	
155	XR2144805EBD8	IDF M	A3	B Dock	45	TC-224	
156	XR2144805EB3C	IDF L	A5	B Dock	3	TC-224	
157	XR2144805DE38	IDF M	A2	B Dock	44	TC-224	
158	XR4044805EBC6	IDF XL	D14	Terrace Prefunction	32	TC-250	
159	XR4044805E806	IDF XL	D13	Terrace Prefunction	31	TC-250	
160	XR4044705DBE4	IDF XM	E16	Terrace Prefunction	40	SE-251	
161	XR4044705DC3C	IDF XM	E17	Terrace Prefunction	41	SE-251	
162	XR4044705E2B2	IDF XL	D15	Terrace Ballroom	33	TC-250	
163		IDF XL	D16	Terrace Ballroom	34	TC-250	
164	XR4044705E246	IDF XO	D29	Terrace Ballroom	29	TC-250	
165		IDF XL	D17	Terrace Ballroom	30	TC-250	
166	XR4044705E336	IDF XO	D30	Terrace Ballroom	30	TC-250	
167	XR404477050812	IDF XL	D18	Terrace Ballroom	37	TC-250	
168	XR4044705E24A	IDF XN	B13	Terrace Ballroom	26	TC-250	
169		IDF XM	E15	Terrace Ballroom	39	SE-251	
170	XR4044705E32A	IDF XN	B15	Terrace Ballroom	30	SE-251	
171		IDF XM	E13	Terrace Ballroom	37	SE-251	
172	XR4044805E954	IDF XM	E14	Terrace B. O. H.	38	SE-251	
173	XR2144405CF60	IDF XO	D28	Terrace B. O. H.	28	TC-250	
174	XR2144405CF86	IDF XO	D26	Terrace B. O. H.	26	TC-250	
175	XR2144405D04E	IDF XO	D27	Terrace B. O. H.	27	TC-250	
176	XR2144405D032	IDF XN	B14 / B10	Terrace B. O. H.	28	TC-250	
177	XR21448805DE9A	IDF XN	B16	Terrace B. O. H.	32	SE-251	
178	XR2144405D03L	IDF XO	D25	Terrace B. O. H.	25	TC-250	
179	XR4045005ECEC	F CLOSET	A7	F B. O. H.	9	Hall F 179 thru 195	
180	XR6230720041D	F4 / F15	B1 / B3	Hall F	38	Hall F 179 thru 195	
181	XR62325200EF0	F2 / F4	B1 / B3	Hall F	13	Hall F 179 thru 195	
182	XR2144805EA3C	IT OFFICE	A9	IT Office	9	Hall F 179 thru 195	
183	XR62325200EEF	F CLOSET	A8	Hall F	10	Hall F 179 thru 195	
184	XR623402012D5	IDF H	A6	Hall F	25	Hall F 179 thru 195	
185	XR404905DBD4	J CLOSET	A3	Arch Atrium	S2 P12	Hall F 179 thru 195	
186	XR4044705E2B4	F CLOSET	A6	F B. O. H.	11	Hall F 179 thru 195	
187	XR62340201267	F13 / F15	B1 / B2	Hall F	3	Hall F 179 thru 195	
188	XR62325200F27	F15 / F13	B1 / B2	Hall F	13 / 14	Hall F 179 thru 195	
189	XR4044805DB4A	J CLOSET	A5	Arch Atrium	S2 P6	Hall F 179 thru 195	
190	XR4045005EDB0	IDF G	A5	F B. O. H.	13	Hall F 179 thru 195	
191	XR6231220045E	IDF G	A6	Hall F	14	Hall F 179 thru 195	
192	XR6231320053F	F25 / F27	B2 / C2	Hall F	14 / 13	Hall F 179 thru 195	
193	XR624012013ED	F27 / F25	C1 / B1	Hall F	14 / 13	Hall F 179 thru 195	
194	XR623072003FF	I CLOSET	A5	Hall F	5	Hall F 179 thru 195	
195	XR4044805E8A8	J CLOSET	A7	Arch Atrium	S2 P2	Hall F 179 thru 195	
196	XR4044705DBEA	EE CLOSET	A18	B. O. H. Hallway	21	Level 200 Mtg. Rms.	
197	XR4044705DCB0	EE CLOSET	A17	204A	23	Level 200 Mtg. Rms.	
198	XR4044705E2B0	JJ CLOSET	B1	204B	13	Level 200 Mtg. Rms.	
199	XR4045005EF10	JJ CLOSET	B2	B. O. H. Hallway	14	Level 200 Mtg. Rms.	
200	XR4044705E0E2	JJ CLOSET	B3	204C	15	Level 200 Mtg. Rms.	
201	XR4044705E262	JJ CLOSET	B4	203A / B	16	Level 200 Mtg. Rms.	
202	XR4045005EF42	JJ CLOSET	B5	B. O. H. Hallway	17	Level 200 Mtg. Rms.	
203	XR4044705DCD8	FF CLOSET	B17	Main Hallway	25	Level 200 Mtg. Rms.	
204	XR4044805E8D6	JJ CLOSET	B6	Main Hallway	18	Level 200 Mtg. Rms.	
205	XR4044705E230	II CLOSET	1	Main Hallway	20	Level 200 Mtg. Rms.	
206	XR4045005EF2E	JJ CLOSET	7	Main Hallway	19	Level 200 Mtg. Rms.	
207	XR4044805E974	FF CLOSET	B18	B. O. H. Hallway	26	Level 200 Mtg. Rms.	
208	XR4044705D9D8	FF CLOSET	B19	201A	27	Level 200 Mtg. Rms.	
209	XR4044705D9B0	FF CLOSET	B20	201B	28	Level 200 Mtg. Rms.	
210	XR4044705E294	II CLOSET	2	201C	15	Level 200 Mtg. Rms.	
211	XR4045005EF34	II CLOSET	B3	B. O. H. Hallway	16	Level 200 Mtg. Rms.	
212	XR4044705E2AE	II CLOSET	4	202A / B	17	Level 200 Mtg. Rms.	
213	XR4044805E950	II CLOSET	5	B. O. H. Hallway	18	Level 200 Mtg. Rms.	
214	XR4045005ECEC	II CLOSET	B6	B. O. H. Hallway	19	Level 200 Mtg. Rms.	
215	XR2144805EBOA	R CLOSET	B7	Meeting Room	17	Level 300	
216	XR2144405CF8A	R CLOSET	B8	Meeting Room	19	Level 300	
217	XR2144405CFBC	R CLOSET	B9	Meeting Room	20	Level 300	
218	XR4044805E96E	R CLOSET	B10	Hallway	21	Level 300	
219	XR4044805E94E	R CLOSET	B11	307H	22	Level 300	
220	XR2144405CFB0	S CLOSET	B1	Meeting Room	7	Level 300	
221	XR214405D04C	S CLOSET	B2	Meeting Room	8	Level 300	
222	XR4044805E94A	S CLOSET	B3	Hallway	9	Level 300	
223	XR4044805E936	S CLOSET	B4	304 VIP	10	Level 300	
224	XR2144405D1EA	U CLOSET	A5	3034A / B	S2 P15	Level 300	
225	XR4044805E96C	U CLOSET	A6	Hallway	S2 P16	Level 300	
226	XR2143705AFE8	U CLOSET	A7	Meeting Room	S2 P17	Level 300	
227	XR2143705B06E	U CLOSET	A8	Meeting Room	S2 P18	Level 300	
228	XR2143705B03E	U CLOSET	A9	Meeting Room	S2 P19	Level 300	

AP#	serial/MAC	MDF/IDF	Patch Panel port#	Room#	Switch Port #	Drawing	STATUS
229	XR4045005EE24	T CLOSET	A1	Overlook	9	Level 300	
230	XR4044805E93A	U CLOSET	A10	Overlook	S2 P20	Level 300	
231	XR2144405CDB2	K CLOSET	B42	Office	S3 P37	Adminstration Level	
232	XR2144405CF68	K CLOSET	B43	Hallway	S3 P38	Adminstration Level	
233	XR2144405CDC2	K CLOSET	B44	Hallway	S3 P39	Adminstration Level	
234	XR2144405C0BC	K CLOSET	B45	Hallway	S3 P40	Adminstration Level	
235	XR2144405D058	K CLOSET	B46	Open Office	S3 P41	Adminstration Level	
236	XR2144405A972	K CLOSET	B47	Conference Room	S3 P42	Adminstration Level	
237	XR2143705B06C	K CLOSET	B48	Conference Room	S3 P43	Adminstration Level	
238	XR2144405D228	J CLOSET	A4	Hallway	S2 P8	Adminstration Level	
239	XR2144405A6F0	J CLOSET	A6	Board Room	S2 10	Adminstration Level	
240	XR2144405D038	J CLOSET	A8	Office	S2 P4	Adminstration Level	
241	XR623402012DF	AA CLOSET	9	Ballroom B	9	Ballroom	
242	XR623402010D0	AA CLOSET	10	Ballroom B	10	Ballroom	
243	XR6234012013E8	AA CLOSET	11	Ballroom B	11	Ballroom	
244	XR623122DD4DC	CC CLOSET	18	Ballroom B	20	Ballroom	
245	XR623402010EE	CC CLOSET	16	Ballroom B	18	Ballroom	
246	XR2144405EBFC	CC CLOSET	14	Ballroom Prefunction	16	Ballroom	
247	XR4044705E2C2	CC CLOSET	15	Ballroom Prefunction	17	Ballroom	
248	XR62351201280	AA CLOSET	13	Stage	12	Ballroom	
249	XR214150F3FB6	AA CLOSET	12	Ballroom B	8	Ballroom	
250	XR214170F40DA	CC CLOSET	19	Ballroom B	21	Ballroom	
251	XR62312200459	CC CLOSET	17	Ballroom B	19	Ballroom	
252	XR62340201244	BB CLOSET	7	Ballroom A	1	Ballroom	
253	XR2141701407C	BB CLOSET	9	Ballroom A	4	Ballroom	
254	XR214060F29AD	D CLOSET	14	Ballroom A	9	Ballroom	
255	XR622511FFF57	DD CLOSET	11	Ballroom A	6	Ballroom	
256	XR62313200544	BB CLOSET	10	Ballroom A	6	Ballroom	
257	XR6231520092A	BB CLOSET	8	Ballroom A	2	Ballroom	
258	XR623402012B2	IDF DD	13	Ballroom A	8	Ballroom	
259	XR62312200468	IDF DD	12	Ballroom A	7	Ballroom	
260	XR2144805EC40	IDF DD	10	Ballroom Prefunction	5	Ballroom	
261	XR4044705E260	IDF DD	9	Ballroom Prefunction	4	Ballroom	
262	XR6234020128F	IDF CC	13	Grand Hall	15	Grand Hall	
263	XR622431FEFC0	CATWALK	7	Grand Hall	7	Grand Hall	
264	XR62307200413	IDF CC	12	Grand Hall	14	Grand Hall	
265		CATWALK	6	Grand Hall	6	Grand Hall	
266	XR623402012DA	CATWALK	3	Grand Hall	3	Grand Hall	
267		CATWALK	5	Grand Hall	5	Grand Hall	
268	XR623402012AB	CATWALK	2	Grand Hall	2	Grand Hall	
269	XR6233720100D	IDF DD	8	Grand Hall	3	Grand Hall	
270		CATWALK	4	Grand Hall	4	Grand Hall	
271	XR62314200553	IDF DD	7	Grand Hall	2	Grand Hall	
272	XR62315200952	CATWALK	1	Grand Hall	1	Grand Hall	
273	DELETED	DELETED	DELETED	DELETED	DELETED	DELETED	
274	DELETED	DELETED	DELETED	DELETED	DELETED	DELETED	
275	DELETED	DELETED	DELETED	DELETED	DELETED	DELETED	
276	DELETED	DELETED	DELETED	DELETED	DELETED	DELETED	
277	XR2143705AFA0	AA CLOSET	B7	Hallway	6	Ballroom Kitchen	
278	XR2143705B04A	AA CLOSET	B8	Kitchen	5	Ballroom Kitchen	
279	XR2143705AFD6	BB CLOSET	B6	Hallway	36	Ballroom Kitchen	
280	XR2143705B042	IDF C	B47	Meeting Room 100A	S2 P46	TC 212 Additional AP's	
281	XR2143705B13E	IDF C	B46	Meeting Room 101	S2 P44	TC 212 Additional AP's	Done
282	XR4044705DC0C	IDF C	B45	13th Street Atrium	S2 P36	TC 212 Additional AP's	
283							